

TRUCEDAR®

STEEL SIDING



Color Featured: M15 Napa Vine [NAP]

A tru difference maker.

Quality Edge believes in manufacturing innovation that endures from materials that last. TruCedar® Steel Siding utilizes one of the strongest, most versatile and recyclable materials on our planet, reducing your carbon footprint and safeguarding against costly repairs.

From pencil sketch to finished profile, our entire siding collection was expertly engineered to blend the best of both durability and aesthetic. TruCedar Siding's steel core provides unmatched impact resistance that doesn't crack, melt or wick water like other siding materials and perfectly mimics the look of real wood siding in a range of curated color options.



TRUCEDAR® SOLID COLORS



TRUCEDAR® HD2 COLORS



From Left to Right:

Row 1: 411 Cottage Red [CRED], 307 Ripe Olive [RO], 470 Midnight Blue [MNBLU], 405 Foothill Blue [FHB], 467 Evening Shade [EVES]

Row 2: 425 Statuary Bronze [STB], 414 Ironstone [IRNS], 415 Gray Dusk [GDSK], 462 Silver Lining [SVRL], 805 Pewter [P805], 280 White [W]

Row 3: 410 Thatch [THA], 468 Fawn [FAWN] 509 Norwood [NOR], 401 Bennington Beige [BENB], 469 Fresh Canvas [FCAN], 503 Eggshell [EGG]





Row 5: 106 Timber Ash [TASH], M15 Napa Vine [NAP], 109 Cedar [CDR]

Row 6: M17 English Saddle [ENG], M16 Cider Mill [CID], 416 Spruce [SPR], 108 Weathered Wood [WWD]



From Top to Bottom:
106 Timber Ash [TASH]
108 Weathered Wood [WWD]
109 Cedar [CDR]

**TruCedar®
Steel Siding
& Accessories**

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
Double 4" 	D4S D4SHD2	Steel 0.016"	Kynar CarbonTech60	12 ft 6 1/2" ft length 12 pc/ctn 94 lb/ctn 32 carton 8 pallet 1 square
Single 6" 	S6S S6SHD2	Steel 0.016"	Kynar CarbonTech60	12 ft 6 1/2" ft length 8 pc/ctn 60 lb/ctn 30 carton 8 pallet 1/2 square
Single 6" Foam Backed	S6FBS S6FBSHD2	Steel 0.016"	Kynar CarbonTech60	
Single 6" Dutch Lap 	S6DLS S6DLSHD2	Steel 0.016"	Kynar CarbonTech60	12 ft 6 1/2" ft length 8 pc/ctn 60 lb/ctn 30 carton 8 pallet 1/2 square
Single 6" Dutch Lap Foam Backed	S6DLFBS S6DLFBSHD2	Steel 0.016"	Kynar CarbonTech60	
Single 8" 	S8S S8SHD2	Steel 0.016"	Kynar CarbonTech60	12 ft 6 1/2" ft length 12 pc/ctn 88 lb/ctn 30 carton 8 pallet 1 square

COLORS







SOLID COLORS

- 401 Bennington Beige [BENB]
- 411 Cottage Red [CREd]
- 503 Eggshell [EGG]
- 467 Evening Shade [EVES]
- 468 Fawn [FAWN]
- 405 Foothill Blue [FHB]
- 469 Fresh Canvas [FCAN]
- 415 Gray Dusk [GDSK]







- 414 Ironstone [IRNS]
- 470 Midnight Blue [MNBLU]
- 509 Norwood [NOR]
- 805 Pewter [P805]
- 307 Ripe Olive [RO]
- 462 Silver Lining [SVRL]
- 425 Statuary Bronze [STB]
- 410 Thatch [THA]
- 280 White [W]

HD2 WOODGRAIN COLORS

- 109 Cedar [CDR]
- M16 Cider Mill [CID]
- M17 English Saddle [ENG]
- M15 Napa Vine [NAP]
- 416 Spruce [SPR]
- 106 Timber Ash [TASH]
- 108 Weathered Wood [WWD]

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
6" Board & Batten 	6BBS 6BBSHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 62 lb/ctn 30 carton 8 pallet 1/2 square
10" Board & Batten 	10BBS 10BBSHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 6 pc/ctn 56 lb/ctn 30 carton 8 pallet 1/2 square
9.075" Seamless Siding 	SSC9.075 SSC9.075HD2	Steel 0.016"	Kynar CarbonTech60	1 roll 500 lb/roll 1 carton 55 pallet
10.77" Seamless Siding 	SSC10.77 SSC10.77HD2	Steel 0.016"	Kynar CarbonTech60	1 roll 700 lb/roll 1 carton 55 pallet
13.25" Seamless Siding 	SSC13.25 SSC13.25HD2	Steel 0.016"	Kynar CarbonTech60	1 roll 700 lb/roll 1 carton 55 pallet
14.77" Seamless Siding 	SSC14.77 SSC14.77HD2	Steel 0.016"	Kynar CarbonTech60	1 roll 700 lb/roll 1 carton 55 pallet

TRUCEDAR® | ACCESSORIES

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
6" TruCedar® Fascia 	6FSS 6FSSHD2	Steel 0.016"	Kynar CarbonTech60	12 ft length 10 pc/ctn 54 lb/ctn 30 carton 8 pallet
8" TruCedar® Fascia 	8FSS 8FSSHD2	Steel 0.016"	Kynar CarbonTech60	12 ft length 10 pc/ctn 69 lb/ctn 30 carton 8 pallet
Brick Ledge Flashing 	BLF BLFHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 24 lb/ctn 40 carton 8 pallet
(0.75") ¾" J-Channel 	J75S J75SHD2	Steel 0.016"	Kynar CarbonTech60	12 ft length 25 pc/ctn 54 lb/ctn 40 carton 8 pallet
1" J-Channel 	J1S J1SHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 25 pc/ctn 41 lb/ctn 40 carton 8 pallet
(0.625") 5/8" L-Channel (Not Embossed) 	L58S L58SHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 25 pc/ctn 34 lb/ctn 40 carton 8 pallet

COLORS

SOLID COLORS







401 Bennington Beige [BENB]
411 Cottage Red [CRED]
503 Eggshell [EGG]
467 Evening Shade [EVES]
468 Fawn [FAWN]
405 Foothill Blue [FHB]
469 Fresh Canvas [FCAN]
415 Gray Dusk [GDSK]

414 Ironstone [IRNS]
470 Midnight Blue [MNBLU]
509 Norwood [NOR]
805 Pewter [P805]
307 Ripe Olive [RO]
462 Silver Lining [SVRL]
425 Statuary Bronze [STB]
410 Thatch [THA]
280 White [W]

HD2 WOODGRAIN COLORS

109 Cedar [CDR]
M16 Cider Mill [CID]
M17 English Saddle [ENG]
M15 Napa Vine [NAP]
416 Spruce [SPR]
106 Timber Ash [TASH]
108 Weathered Wood [WWD]

TRUCEDAR® | ACCESSORIES

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
(0.625") 5/8" Undersill (Not Embossed) 	UTS UTSHD2	Steel 0.016"	Kynar CarbonTech60	12 ft length 25 pc/ctn 40 lb/ctn 40 carton 8 pallet
1-Piece Inside Corner Block 	ICB ICBHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 24 lb/ctn 15 carton 8 pallet
1-Piece Outside Corner Post Corner Post 	OCPS OCPSHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 78 lb/ctn 15 carton 8 pallet
2-Piece Outside Corner Post Cap 	OCPS2P OCPS2PHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 47.5 lb/ctn 15 carton 8 pallet
2-Piece Outside Corner Post Base 	OCPB	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 44 lb/ctn 15 carton 8 pallet <i>Black only</i>
Batten Trim (Used for Board & Batten) 	BT10 BT10HD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 30 lb/ctn 30 carton 8 pallet

TRUCEDAR® | ACCESSORIES

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
Z-Flashing (Used for Board & Batten)	BBZT10 BBZT10HD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 18 lb/ctn 40 carton 8 pallet
14.77" x 30 ft Trim Coil (TruCedar Embossed)	T1430S T1430SHD2	Steel 0.016"	Kynar CarbonTech60	30 ft length 1 roll 29 lb/ctn 40 carton 8 pallet
3" Starter Strip	3SSGAL	Steel 0.0155"	Mill	10 ft length 25 pc/ctn 40 lb/ctn 72 carton 10 pallet
4" Starter Strip	4SSGAL	Steel 0.0155"	Mill	10 ft length 20 pc/ctn 48 lb/ctn 63 carton 10 pallet
Touch-Up Paint	BRUSH BRUSHHD2	-	PVDF	1 pc
Saw Blade	7.25SSB	-	Carbide Tipped Blade	1 pc

COLORS

SOLID COLORS

401 Bennington Beige [BENB]
411 Cottage Red [CREG]
503 Eggshell [EGG]
467 Evening Shade [EVES]
468 Fawn [FAWN]
405 Foothill Blue [FHB]
469 Fresh Canvas [FCAN]
415 Gray Dusk [GDASK]

414 Ironstone [IRNS]
470 Midnight Blue [MNBLU]
509 Norwood [NOR]
805 Pewter [P805]
307 Ripe Olive [RO]
462 Silver Lining [SVRL]
425 Statuary Bronze [STB]
410 Thatch [THA]
280 White [W]

HD2 WOODGRAIN COLORS

109 Cedar [CDR]
M16 Cider Mill [CID]
M17 English Saddle [ENG]
M15 Napa Vine [NAP]
416 Spruce [SPR]
106 Timber Ash [TASH]
108 Weathered Wood [WWD]



1. Siding

Horizontal siding offered in Double 4", Single 6", Single 6" Dutch Lap and Single 8". Vertical siding offered in 6" & 10" Board and Batten profiles.

2. J-Channel

Use to cover cut edges of siding. Also used around sides and tops of windows and doors, eave line of gables, roof line of rakes, and in other areas where panel must be cut or notched.

3. L-Channel

Install as an alternative to J-Channel on the sides of windows or doors.

4. Undersill

Use to cover cut edge of panel.

5. 1 & 2-Piece Outside Corner Post

Installed at the outside corner of the wall, allowing siding to be inserted on both sides.

6. Inside Corner Block

Use to flash inside corners.

7. Trim Coil

Use for custom flashing.

8. Starter Strip

Secures the first row of panels to the wall. Needed for both lap and Board & Batten applications.

9. Batten Trim

Use at base of Board & Batten panels to close the openings of the battens. Adds an authentic look as a starter.

10. Fascia

Pre-engineered Fascia that saves time and looks great.

Z-Flashing


Use with Board & Batten to connect panels longer than 10 ft high.

Brick Ledge Flashing


Installed over a brick or stone wall transition to keep water out.

**TruCedar®
Shake Sidewall
& Accessories**


DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
Shake Sidewall (3 course panel)	SHK	Steel 0.016"	HD3 Woodgrain: Kynar 500 CarbonTech90	47.5" W x 22.125" H 8 pc/ctn 44 lb/ctn 40 carton 22 pallet 8 pc = ½ square




1-Piece Outside Corner Post	OCPSSHK	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 78 lb/ctn 15 carton 8 pallet
--------------------------------	---------	-----------------	-----------------------	---




(0.625") 5/8" Undersill (Not Embossed)	UTSSHK	Steel 0.016"	Kynar CarbonTech60	12 ft length 25 pc/ctn 40 lb/ctn 40 carton 8 pallet
---	--------	-----------------	-----------------------	---



(0.75") ¾" J-Channel	J75SSHK	Steel 0.016"	Kynar CarbonTech60	12 ft length 25 pc/ctn 54 lb/ctn 40 carton 8 pallet
----------------------	---------	-----------------	-----------------------	---



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
24" x 25 ft Trim Coil (TruCedar Embossed)	T25GSHK	Steel 0.016"	Kynar CarbonTech60	25 ft length 1 pc 41 lb/roll 48 carton




4" Shake Starter Strip	4SHKSSGAL	Steel 0.0155"	Kynar CarbonTech60	Mill 10 pc/ctn 25 lb/ctn 63 carton 10 pallet
------------------------	-----------	------------------	-----------------------	--



Retention Clip	MRC1.25G50 MRC1.25BLK50	Steel 0.025"	-	50 pc/ctn 2 lb/ctn
----------------	----------------------------	-----------------	---	-----------------------



(1.25") 1 ¼" Mill Screw	MRS1.25MILL250	-	Mill	250 pc/ctn 21 lb/ctn
----------------------------	----------------	---	------	-------------------------



COLORS

- 109 Cedar [CDR]
- 106 Timber Ash [TASH]
- 108 Weathered Wood [WWD]



1. Shake Sidewall
Shake sidewall panel system (3 courses high).

2. Outside Corner Post
Installed at the outside corner of the wall, allowing siding to be inserted on both sides.

3. Undersill
Use to cover cut edge of panel.

4. J-Channel
Use to cover cut edges of siding. Also used around sides and tops of windows and doors, eave line of gables, roof line of rakes, and in other areas where panel must be cut or notched.

5. Trim Coil
Use for custom flashing.

6. Starter Strip
Secures the first row of panels to the wall.

Retention Clip
Use with Shake Sidewall only. Holds vertical lap when installing panels.

(1.25") 1¼" Mill Screw
Use with Shake Sidewall only. 1.25" #10 zinc coated pan head.